# Comparison of Ease-of-Use Features in Mathematica 13.3 and Maple 2023

#### Summary

Ensuring ease of operation is particularly important for a system as vast as Mathematica. A steady focus on automation and good user-interface design has meant that Mathematica has become progressively easier to use even as its computational capabilities have grown.

Maplesoft claims that Maple is easier to use than Mathematica, but a systematic cataloging of ease-of-use features shows that Maple supports almost none of the tools, hints or good design principles that are built into Mathematica.

#### Code editing

Mathematica	Details	Maple
Chat–powered code writing	Use an AI–based chat to help your write code by describing the task in words.	
	plot the moving average of the differences between the first 1000 primes with a window size of 50. Add grid lines to the plot.	
	<pre>Here's how you can do it:</pre>	-
	ListPlot[movingAverage, GridLines → Automatic, PlotTheme → "Detailed"] We first generate a list of the first 1000 primes using Table and Prime. Then we calculate the differences between consecutive primes using Differences. Next, we compute the moving average of these differences using MovingAverage. Finally, we plot these moving averages using ListPlot and add grid lines to the plot using GridLines → Automatic. We also set the PlotTheme to "Detailed" for a nicer appearance.	×
	<pre>In[20]= primesList = Table[Prime[n], {n, 1, 1000}]; differences = Differences[primesList]; movingAverage = MovingAverage[differences, 50]; ListPlot[movingAverage, GridLines → Automatic, PlotTheme → "Detailed"] 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0</pre>	2

Mathematica	Details	Maple
Autocompletion: function names	Type the start, middle or abbreviation of a command, and Mathematica automatically provides completion choices. Just press return to save typing the rest. Leas Leas LeastSquares [LeastSquaresFilterKernel]	Provided only in code–edit regions, not in Worksheets, and only for the start of a com- mand name.
Autocompletion: command templates	Mouse over a command or use a keystroke after typing a command, and you are offered standard usage templates. Select one by mouse or key- board and then tab between the arguments as you fill them in. Plot Plot[ $f, \{x, x_{min}, x_{max}\}$ ] generates a plot of $f$ as a function of $x$ from $x_{min}$ to $x_{max}$ . Plot[ $\{f_1, f_2,\}, \{x, x_{min}, x_{max}\}$ ] plots several functions $f_i$ . Plot[ $\{, w[f_i],\},$ ] plots $f_i$ with features defined by the symbolic wrapper $w$ . Plot[ $\{, x]$ is real	Maple provides templates only via keyboard access.
Autocompletion: delimiter matching	takes the variable x to be in the geometric region reg.         The matching closing bracket or quotes can be created automatically for you without moving the cursor.	×
Autocompletion: strings	Start typing a string in a place where there are finite choices, and Mathematica will offer you autocompletions.  CountryData "U "UnitedStates" "UnitedKingdom" "Ukraine" "UnitedArabEmirates" "Uruguay"	×

Mathematica	Details	Maple
Autocompletion: iconic preview	Some autocompletions, such as styles, fonts and colors, are shown with visual cues, so you can see what the effect of the choice will be.  Style["Hello", FontFamily ->   1942 report  Abadi MT Condensed Extra Bold  Abadi MT Condensed Light  A Decome	марке
	Ai Nile	×
	ListLinePlot {1, 2, 3}, PlotTheme ->          "Web"	
Autocompletion: path browser	Start typing a file name, and Mathematica helps you navigate your files system. Get["/Applications/M Mail.app Mathematica 10.2.app Mathematica.app File Browser S	Provided only in code–edit regions, not in Worksheets.
Inline evaluation	You can evaluate part of an input expression in place to simplify your input without having to do a side calculation. $data = \{1, 2+3+4+5, 6\} \rightarrow data = \{1, 14, 6\}$	×

Mathematica	Details	Maple
Generalized input	You can use any formatted content in Mathematica input, not just typeset math or text. Input can include images, 3D images, geometry, graphs, color swatches and more. It makes code easier to read. EdgeDetect [ ListPlot[{1, 2, 3}, PlotStyle → ]]	
Iconized input	You can collapse large input into an icon that makes your notebooks easier to read while still saving all data in the same file. Use the icon as input, or expand it to see the contents. • data = [im] Experimental data ::; SmoothHistogram3D[data]	×
Code reformatting	Apply automated line breaks and indentation to make your code more readable. $f[x_]:=If[x \le 1, x, If[EvenQ[x], x/2, 3x+1]]$ $f[x_] := If[x \le 1, x, x]$ $f[EvenQ[x], x / 2, $	*
Extend selection	Multi-click inside a math expression or use a keyboard shortcut to extend the selection in a mathematically valid way. $1 + \sqrt{2} + \frac{3}{4 + x}$ $1 + \sqrt{2} + \frac{3}{4 + x}$	×

Mathematica	Details			Maple
Custom notations	You can create you output.	You can create your own 2D mathematical typeset notations for input or output.		r 🗙
Edit during evaluation	In Mathematica, you can continue to edit the working document while long calculations are being performed.		×	
Customizable input aliases	You can set up your frequently. These c appear on the auto collection of predet autocompletion sh	r own aliases for a an insert text, type completion prom fined shortcuts. Fo ows: del	hy content that you type or insert eset math or images. Aliases also pts. Mathematica comes with a or example, type "del" and the	
	δ ス ス_	delta delay delay del.	\[Delta] \[SystemsModelDe	×
	<b>∇</b> <sub>■</sub> × □ <b>∇</b> <sub>■</sub> <sup>2</sup> □	delx del2		
	Click on the autoco ture using the Del c its place: <b>v</b> <sup>2</sup> <sub>□</sub> □	mplete or finish ty haracter (Unicode	vping "del2" and the 2D struc- 8711) and placeholders appears in	1

## **Error detection**

Mathematica	Details	Maple
Syntax coloring:	Mismatched brackets are automatically colored to highlight the	
bracket matching	error.	×
	Sin[x + Cos[x]]	
Syntax coloring:	Functions that require more arguments than you have provided are	
missing arguments	highlighted with a marker.	×
	Mod [ 3_]	
Syntax coloring:	If you enter too many arguments for a function, Mathematica highlights	
excess arguments	the excess arguments.	×
	Sin[2, 3]	
Syntax coloring:	Undefined symbols (usually because you have misremembered or mis-	
undefined symbols	spelled a function name) are automatically colored blue.	×
	<b>Plott</b> [Sin[x], {x, 0, 10}]	

Mathematica	Details	Maple
Syntax coloring: unrecognized options	Mathematica automatically highlights option names that do not apply where you have entered them.	×
	$Plot[Sin[x], \{x, 0, 10\}, PlotArea \rightarrow 100]$	
Syntax coloring: scoping conflicts	<pre>If you try to localize the same variable name twice, Mathematica high- lights it to warn you. With[{local = 1}, With[{local = 2}, local]</pre>	Parsing errors are reported in a dialog for code– edit regions only.
Syntax coloring: code comments	Comments are automatically colored gray so that they are easily distinguished from code. <b>x</b> = <b>2</b> ; (*Comment*)	×
Syntax coloring: string content	Strings are colored dark gray to distinguish them in your code. text = "some text"	×
Syntax coloring: current function	The start and end of the function immediately surrounding the cursor are highlighted automatically so that you can more clearly see where you are in complex nested expressions. <b>Sin[x + Cos[x + 1] + Sin[x] +</b> ]	×
Number formatting	Mathematica automatically displays long numbers with additional spac- ing between digit blocks to make them easier to read. <b>1 234 567 890</b>	×
Real–time spellchecking	Mathematica automatically underlines misspelled words as soon as you have typed them. Reall time spell, checking spells spells spell   pellmell pellmell pell Ignore Ignore all Add to dictionary	In Maple, you must manually invoke spellchecking.
Visual hinting of computation dependency	Both Mathematica's and Maple's interfaces provide REPL interfaces where outputs are displayed alongside inputs. If you edit the input without reevaluating it so the output no longer matches, Mathematica warns you by automatically fading the out–of–date output.	×

Mathematica	Details	Maple
Code analysis	Select code in the notebook and Mathematica will analyze the code for potential errors. In some cases it will offer to correct the code automatically. $f[x_{1}] := Module[\{x2\}, x + x1]$	Maple provides command line tools with similar analysis capabilities but
Error source feedback	Code Analysis  f[x_] := Module [{ X2 }, x + x1]	not auto– correction.
	Showing 1 of 1 Issue.	
	button that displays information on the computational history that led to the error.	
	Out[76]=	×
	Message [Power::infy, $\frac{1}{0}$ ] $\frac{1}{0}$ $\frac{1}{0}$	
	myfn[1-1] + 1	

# Interacting with output

Mathematica	Details	Maple
Image editor	Click any image in Mathematica, and a toolbar automatically appears providing point–and–click tools for selecting regions, cropping, transform- ing, masking, image information and more.	
	14 ☑ 14 ☑ 10 more	×

Mathematica	Details	Maple
Image editor 3D	Click a 3D image (voxel data), and a toolbar appears providing point–and– click tools for coloring, clipping, information and more.	Maple does not support 3D
		images.
Color swatches	Colors appear as visual swatches. Mouse over them for numeric specifica-	
	Instant Blend [{Darker [Red], Lighter [Blue]}, 0.8]	
	Out[5]=	
	Red	
	0.40	
	Green	
	Blue	×
	Opacity	
	Advanced	
	Cancel OK	
Drawing tools	You can manually annotate graphics and edit generated graphics ele-	
	ments in Mathematica using a drawing tools palette.	
	<pre>Plot[Sin[x], {x, 0, 10}]</pre>	ß
	0.5 This is a maxima	
	2 4 6 8 10 > Operations	
	-0.5 - Stroke Arrowheads	
	-1.0 Text	
	► Points	
	<ul> <li>Settings</li> </ul>	-
	<b>N</b>	

Mathematica	Details	Maple
<b>Mathematica</b> Elided forms	Details Many computations return complex results that are intended as inputs for further computation. Mathematica provides a uniform way to present the key information for these while hiding excess details. For large expressions, you can decide whether all information necessary to repeat the computation is stored in the elided display, automatically linked to a cloud or local storage object or discarded. InterpolatingFunction [ Domain: {(1, 100.}) Output: scalar	Maple Maple provides similar function- ality for arrays, audio and graphs only. When Maple presents sum- mary displays, the information to reproduce
	TimeSeries [ Time: 1 to 15 Data points: 6	the output is discarded from the document.
Large–output suppression	When any very large expression is returned to the notebook, Mathematica automatically presents a compact view that displays the start and end of the expression and an indication of the amount of omitted content. The following example would take around 300 pages to fully display. Expand [ $(1 + x)^{2000}$ ] 1 + 2000 x + 1999 000 x <sup>2</sup> + 1331 334 000 x <sup>3</sup> + 664 668 499 500 x <sup>4</sup> + 265 335 665 000 400 x <sup>5</sup> + 88 224 108 612 633 000 x <sup>6</sup> + 25 131 267 510 512 886 000 x <sup>7</sup> + 6260 827 018 556 522 724 750 x <sup>8</sup> + 1964 + 25 131 267 510 512 886 000 x <sup>1993</sup> + 88 224 108 612 633 000 x <sup>1994</sup> + 265 335 665 000 400 x <sup>1995</sup> + 664 668 499 500 x <sup>1996</sup> + 1 331 334 000 x <sup>1997</sup> + 1999 000 x <sup>1998</sup> + 2000 x <sup>1999</sup> + x <sup>2000</sup> large output show less show more show all set size limit	×
Tooltips in graphics	Mathematica graphics incorporate tooltips to provide extra information without increasing the complexity of the image. For example, mouse over a box in a box–whisker plot, and you get statistics on that dataset.	×

Mathematica	Details		Maple
Mathematica Context-sensitive menus	Details The menu that appears when you ri of content selected. (U)= Graph((1+2, 2+3, 3+1)) Cut Graph Highl Graph Highl Graph Highl Graph Highl Graph Style Convert To C Convert To C Convert To C Convert To C Convert Style Convert To C	ght–click content depends on the type	e e
	Print	Closest Packing Closest Center Packing Layered Packing Layered Left Packing Layered Top Packing Nested Grid Packing	

## Automation & convenience

Mathematica	Details	Maple
Predefined document	Mathematica provides over 20 document stylesheets that collect together	Maple provides
styles	coherent style choices for title, section, text, math, etc. to let you create a	only one
	great–looking document quickly. You can also create your own stylesheet.	stylesheet,
		though you can
		create your own.
Predefined graphics	Mathematica provides a collection of predefined styles as an alternative	
styles	to setting all of the different options separately. Row[Plot[Evaluate[Table[BesselJ[n, x], {n, 5}]], {x, 0, 10}, PlotTheme $\rightarrow$ #] &/@ {"Detailed", "Web", "Monochrome"}]	×
Predefined color	Mathematica provides over 170 named color gradients and collections that can be applied to most visualizations.	
schemes	Colorfunction + Directions and the second se	×
Automatic hyperlinking	Mathematica automatically converts URLs in text into active hyperlinks.	×
Automatic reference	Mathematica provides counter objects that track the position of them-	Maple supports
tracking	selves or other content in the notebook to display correct numbering.	only for Equa-
	Objects include Chapter, Section, Subsection, PageNumber and more.	tions and Tables.

Mathematica	Details					Maple	
Automatic code	Mathematica can automatically reformat code using additional line					ne	
formatting	breaks	and whi	te space to i	indent code for ea	asy reading. You can c	ontrol	×
	the balance between code density and "airiness."						
Alternate language	Mather	Mathematica notebooks can contain Python, SQL, Julia, R, Octave, Ruby					
cells	or Nod	e.js code	e cells. Resul	ts are automatica	ally converted to Wolf	ram	
	Langua	age repre	esentations.				
	In[1]:=	In[1]:= 📄 Select * from offices					
		aff an Carda	-14.	address address land			
		1	San Francisco	+1 650 219 4782	100 Market Street		×
		2	Boston	+1 215 837 0825	1550 Court Place	:	
	0.4[1]	3	NYC	+1 212 555 3000	523 East 53rd Street		
	Out[1]=	4	Paris	+33 14 723 4404	43 Rue Jouffroy D'abbans		
		5	Tokyo Sydney	+81 33 224 5000	4-1 Kioicho 5-11 Wentworth Avenue		
		7	London	+44 20 7877 2041	25 Old Broad Street		
TeX input	Enter T	eX direc	tly into note	books and it is fo	ormatted immediately	using	
	the Wo	lfram No	otebook type	esetting.			×
Plotting: automatic	Mather	natica p	lots can auto	omatically choos	e their plot ranges to e	ensure	Maple provides
range selection	that th	e maiori	ty of the plo	t vields useful inf	ormation.		this functional-
		emajon	ly of the pro	e gretas aserat ini			ity only for 2D
							nlots
							piots.
Plotting: automatic resampling	Mathematica adaptively increases sampling in 2D and 3D plots in areas of high curvature to give accurate yet efficient visualizations						
Plotting: automatic	Mathor	natica a	utomatically	, dotocts disconti	nuitios in many plots	to	Maple provides
branch_cut dotaction		toly doni	ict the break	,	numers in many proce		this functional
	· Plot3D[Im[(x	tety uepi ، یه: ۱ (x, -3	, 3), (y, -3, 3)]				this functional-
							piots.
	1	<del>THA</del> H					
	-1						
	-2	0 2	-2				
Plotting: automatic	By defa	By default, Mathematica automatically makes some features, such as					
point sizing	points,	points, smaller if there are many of them in a single visualization.					×
Plotting: automatic	Mather	natica ca	an use symb	olic wrappers for	data points to autom	atically	
point label positioning	place la	abels, ca	llouts or too	oltips on plotted p	points, automatically o	optimiz-	
	ing their locations to avoid overlap.						
	ListPlot[{{0.1, 0.1}, Callout[{2, 1.1}, "Largest"],						
	Callout[{2.1, 1}, "Fairly large"]}]						
	1.2 Largest						
	1.0			Fairly large ᢞ			<b>X</b>
	0.8						
	0.6 -						
	1						

Mathematica	Details	Maple	
Automatic import	Mathematica supports over 250 different import and export filters for	Maple supports	
filters	data, images, sound, video, graphs, geometry and more.	56 formats.	
Training progress control	When Mathematica's machine learning functions are training, you can see the progress made and quality of predictions achieved. You can manually stop the learning at any time and use the best model found so far.	×	
Parallel evaluation progress tracking	When performing parallel computations over multiple cores or remote computers, you can see the progress made and the projected completion time. In[1]:= ParallelMap[PrimeQ[2^#-1] &, Range[9601, 12 000]]; During evaluation of In[1]:= ParallelMap Results 27/56 evaluations of 43 items each (8 kernels) Times Elapsed: 00m 42s, remaining: 00m 34s, ETA: Mon 22 Nov 2021 09:38:15	×	
Remote batch submission	Once set up with account credentials, Mathematica automates the pro- cess of submitting batch evaluations in cloud environments such as Amazon and Azure. Cloud computers are provisioned and provided with Mathematica licenses: tasks are scheduled, results retrieved and instances deleted all with a single command. http://piberemoteBatchSubmit[ RemoteBatchSubmits[ Coutty RemoteBatchJobObject[ Coutty RemoteBatchJobObject[ Coutty RemoteBatchJobObject[ Coutty RemoteBatchJobObject[ Coutty Statch > Coutty Statch ] Coutty Statc	×	

# Help

Mathematica	Details	Maple
Help on errors	When an error is generated, it includes a hyperlink to documentation on the error, including example causes. In[43]:= 1 / 0 Power::infy : Infinite expression $\frac{1}{2}$ encountered. >>	
	0 C C C C C C C C C C C C C C C C C C C	
	General::infy  Details  Examples (2)  Explicit division by zero will generate a warning message:  in(1):= 1/0	×
	Powersinity: infinite expression $\frac{1}{0}$ emcountered. >> (a)         Out(1)= ComplexInfinity         Division by zero often occurs indirectly within another calculation:         inf(1)= Findboot [Sis(2) / x = 1/2, (x, 0)]         Powersinity: infinite expression $\frac{1}{0}$ encountered. >>         w::indet: indeterminate expression 0. ComplexInfinity encountered. >>         w::indet: indeterminate expression 0. ComplexInfinity encountered. >>         FindBoot.mixum: The function value (indeterminate) is not a list of numbers with dimensions (1) at (x) = (0). >>         Out(1)= FindBoot [Sin(x) = 1/2, (x, 0)]	
Evaluatable help	Mathematica help contains over 10,000 examples. The help also acts as a sandbox where you can edit and experiment with the examples in situ, without changing them permanently.	×
Suggestion Bar	Mathematica automatically suggests calculations you may wish to per- form next after each calculation. Just click to perform the action. You can even roll together several steps to automatically write programs. Out[12]= {0.470063, 0.150947, 0.43559, 0.805856, 0.312563, 0.482064, 0.663087, 0.507534, 0.609561, 0.271254} total plot points relations for more @ # F	✓
Mouseover help box	<pre>Mouse over a command in Mathematica and see a tooltip reminding you what the function does and its typical arguments. solve [x<sup>2</sup> == y Solve [expr, vars] attempts to solve the system expr of equations or inequalities for the variables vars. Solve [expr, vars, dom] solves over the domain dom. Common choices of dom are Reals, Integers, and Complexes.</pre>	×

Mathematica	Details	Maple		
Command–line help	Evaluating <b>?name</b> returns help on <b>name</b> without leaving the working notebook. Mathematica displays information in an expandable form that organizes basic definitions, options and attributes with links to the full documentation. <b>?Plot</b>			
	Symbol $f$ Plot[ $f$ , { $x$ , $x_{min}$ , $x_{max}$ }] generates a plot of $f$ as a function of $x$ from $x_{min}$ to $x_{max}$ .         Plot[{ $f_1$ , $f_2$ ,}, { $x$ , $x_{min}$ , $x_{max}$ }] plots several functions $f_i$ .         Plot[{ $\dots$ , $w[f_i]$ ,},] plots $f_i$ with features defined by the symbolic wrapper $w$ .         Plot[{ $\dots$ , { $x$ } $\in$ reg] takes the variable $x$ to be in the geometric region reg.         Documentation Local $w$   Web $w$ Optimes 4 AlignmentPlaint $x$ Center, (52 total)			
Natural language input	Options > AlignmentPoint → Center(63 total)         Type a short English phrase and have Wolfram Alpha translate it into a         Wolfram Language expression.         Image: Intermediate it into a start in the start into a start			
Function names	<ul> <li>While good programming–language design is too complex to summarize in this document, one simple aspect can be seen in the choice of function names. Mathematica uses a consistent set of naming conventions for its functions, mostly using full English words like FactorInteger, Lin–earProgramming, Integrate, Counts, ContinuedFraction and Gamma, making code readable and names easier to predict.</li> <li>Maple follows this convention for recently added functions, but most of its older functionality is inconsistent in the use of case and abbreviation, making it harder to learn and remember. For example, the Maple equivalents to the above functions are called ifactor, LPSolve, Int, numboccur, cfrac and GAMMA</li> </ul>			

## International support

Mathematica	Details						Maple
Local language	Mathematica provides real–time spellchecking in over 25 languages.					Maple has	
spelicnecking		Untitled-1	10		Untitled-1		English
	Wahrst	neinlichkeit	1	Ent	chiedung	1	spellchecking
		Wahrscheinlichkeit	3		Entscheidung	3	only, and it isn't
	+	Unwahrscheinlichkeit			Unentschieden		in real time.
		Keimwahrscheinlichkeit			Ignore		
		Ignore			ignore all		
		Ignore all			Add to dictionary		
		Add to dictionary					
		,	11				
			16			113	
	Modu Inporp	le[ аммный модуль {fmp = f, gmp = g, t Modulus /. {opts} /. модуль If [p === Infinity, p условный [бесконечность If [p =!= 0 && ! Prime условный оператор [простос Message [Polynomi [сообщение [расширенн inpok = False [ложь]]; If [p =!= 0, условный оператор fmp = Polynomial [упростить мно	cemp, Орtid [опции 9 = 0]; Q[P], е числой ialExt ный алго	result, inp ons[Polynom  расширенн ; rendedGCD:::п ритм Эквклида, , P]; ю модулю	nok = True}, [истина ialExtendedGCD]; ный алгоритм Эквклидад modp, p]; для многочленов		×
gmp = PolynomialMod[g, p]; упростить многочлен по модулю If [! FreeQ[{fmp, gmp}, PolynomialMod], усл  не содержит? упростить многочлен по модулю					1.		

Maple is a trademark of Waterloo Maple Inc.