

Review of New Features in Maple

Summary

Many of the highlighted new features in Maple 2018, as in previous releases, appear heavily correlated with earlier features of Mathematica. Furthermore, the Maple feature is often only a shallow implementation of the Mathematica functionality.

Only a small fraction of Mathematica's advances make it into Maple at all. Major feature areas of Mathematica that Maple has yet to significantly cover in a serious way include machine learning, image processing, audio computation, mesh geometry, report generation, cloud computation, hardware connectivity, reliability analysis, semantic interpretation, real-world data sources and much more. For those capabilities that Maple has implemented, the average time lag between features being introduced in Mathematica and basic implementation in Maple 2017 was around fourteen years.

If you want access to deep implementations of the very latest in computation, you should be using Mathematica.

New Features in Maple 2018

Feature	Mathematica	Notes
Units		
Units supported by <code>fsolve</code> , <code>solve</code> , <code>int</code> , etc.	2012	The Mathematica <code>Quantity</code> object supported a wide range of computations from its initial release. Mathematica also supports unit-based data for its data visualization functions, which Maple still does not.
Greek letters in unit display	2012	
Computational geometry		
<code>VoronoiDiagram</code>	1992	Revised in 2014, this is implemented in Mathematica as <code>VoronoiMesh</code>
<code>ConvexHull</code>	1992	Revised in 2014, this is implemented in Mathematica as <code>ConvexHullMesh</code> .
<code>DelaunayTriangulation</code>	1992	Revised in 2014, this is implemented in Mathematica as <code>DelaunayMesh</code> .
<code>PolygonTriangulation</code>	2014	Implemented in Mathematica within <code>DiscretizeRegion</code> .
Graph theory		
<code>CliquePolynomial</code>	2007	Implemented in Mathematica within <code>GraphData</code> .
<code>DistancePolynomial</code>	2007	Implemented in Mathematica within <code>GraphData</code> .

Feature	Mathematica	Notes
FindClique	2010	Implemented in Mathematica as <code>FindClique</code> .
GraphIntersection	2010	Implemented in Mathematica as <code>GraphIntersection</code> .
IndependencePolynomial	2007	Implemented in Mathematica within <code>GraphData</code> .
IsReachable	2016	Implemented in Mathematica using <code>ConnectedGraphComponents</code> .
Reachable	2016	Implemented in Mathematica using <code>ConnectedGraphComponents</code> .
Special graphs	2007	In Mathematica, <code>GraphData</code> provides information on 7,429 special graphs, including all of the eight recently added to Maple.
Advanced mathematics		
Improvements to <code>integrate</code>	1988–2014	Examples of improvements to <code>int</code> given in the "What's New in Maple 2018" pages are already solved by the Mathematica command <code>Integrate</code> .
Improvements to <code>Sum</code>	1988–2008	Examples of improvements to <code>Sum</code> given in the "What's New in Maple 2018" pages are already solved by the Mathematica command <code>Sum</code> .
<code>Sturm</code> supports algebraic coefficients	2007	The Mathematica equivalent, <code>CountRoots</code> , has always accepted algebraic coefficients.
<code>Satisfiable</code>	2008	Implemented in Mathematica as <code>SatisfiableQ</code> .
<code>Satisfy</code>	2003	Implemented in Mathematica as <code>FindInstance</code> .
Generalized Polylog	1999	
Interpolation		
<code>Interpolation</code> returns an object	1988	The Mathematica function <code>Interpolation</code> has always returned an object that behaves like a built-in function and is integrated into the wider system. For example, <code>NDSolve</code> returns <code>InterpolatingFunction</code> answers, making them easy to use in other computations, such as integrating them. Maple's <code>dsolve 'numeric'</code> still returns procedures that must be sampled at specific points.
Support irregular data	2008	
Krigging	2014	Implemented in <code>Interpolation</code> as a method for <code>Predict</code> .
Dates & times		
Date object	2014	Implemented in Mathematica as <code>DateObject</code> with support for all the capabilities of the Maple date function. Mathematica date calculations support a range of national holiday schedules, including key financial markets, and supports the notion of date granularity, which Maple does not. The Mathematica <code>DateObject</code> supports Gregorian, Julian, Islamic and Jewish calendar types; Maple supports only Gregorian.

Feature	Mathematica	Notes
Now	2014	Implemented in Mathematica as <code>Now</code> .
DayOfWeek, DayOfYear, etc.	2014	Implemented in Mathematica as a single function <code>DateValue</code> , which gives access to both numerical and name values of fields.
HostTimeZone	2007	Implemented in Mathematica as <code>\$TimeZone</code> .
IsLeapYear	2012	Implemented in Mathematica as <code>LeapYearQ</code> .
DateDifference	2007	Implemented in Mathematica as <code>DateDifference</code> .
Thermophysical data & scientific constants		
Thermophysical data and scientific constants	2007	The addition of data on 2,000 chemicals still leaves Maple far behind Mathematica's <code>ChemicalData</code> database, which currently provides up to 100 properties for over 44,000 chemicals. Knowledge of chemicals is just one of many databases of real-world knowledge built into Mathematica. For example, Maple provides none of the data on astronomical bodies, human physiology, subatomic particles, weather, proteins, geo-elevation or the human genome that Mathematica does.
Visualization		
Rotatable text	2007	Any visual content can be displayed rotated in Mathematica, including typeset math, images and graphics—not just text.
ParetoChart	2002	Implemented as <code>ParetoPlot</code> .
Borderless arrow	2007	Mathematica supports arbitrary shapes for <code>Arrowheads</code> , including full border control, but does not support arrow-stem borders.
Image tools	1988	Surprisingly, Maple has lacked user tools for describing diagrams up to now, and the new <code>Line</code> , <code>Poly</code> , <code>circle</code> and <code>text</code> primitives fall far short of the equivalent Mathematica tools. Maple's tools support only 2D images, and require a prior decision about the output image resolution. Mathematica supports many more graphics primitives (<code>BSplineCurve</code> , <code>Ellipsoid</code> , <code>Sphere</code> , etc.), rasterizes them in real time according to the viewing size (unless you choose to fix the resolution) and can be combined with all of the built-in visualizations.
Connectivity		
Execute Python	2017	Implemented as <code>ExternalEvaluate</code> .
Link to TensorFlow	2014	Rather than provide only a link to an external library, Mathematica contains a fully automated machine learning framework that integrates deeply with other parts of the system and is backed transparently by MXNet for low-level computations.
Programming		
Code editor improvements		Maple uses a different editor for code inside interactive elements than it does for general input. Error highlighting, function autocompletion and filename completion are not available in the rest of the Maple Worksheet. In Mathematica, they are supported in general input.
Until	1988	In Mathematica, <code>while[body;test]</code> is equivalent to an <code>Until</code> statement.

Feature	Mathematica	Notes
Inline assignments	1988	Any expression can be evaluated inside any other expression in Mathematica, including assignments.
Random variable names	1988	This need is addressed in Mathematica as <code>Unique</code> .
SameStructure	1988	Implemented in Mathematica as <code>SameQ</code> .
Encrypted procedures	1988	Implemented in Mathematica as <code>ReadProtected</code> .
Uneditable content	1996	The Wolfram Notebook has long supported the notion of uneditable content, but this can be controlled at the character level, not just at the whole-document level. It also supports control over whether content is selectable or copyable, which Maple does not.

New Features in Maple 2017

Feature	Mathematica	Notes
Visualization		
Dynamic plot annotations	2007	Maple's annotation options are a limited version of Mathematica's <code>Tooltip</code> command. <code>Tooltip</code> is not limited to use within graphs, and can also be applied within tables, to text or within typeset math; it can also contain any kind of content, not just text. <code>Tooltip</code> is just one kind of annotation that Mathematica can apply to elements in graphics. <code>Label</code> and <code>Callout</code> allow annotations that appear in fixed positions or that can be automatically positioned to avoid overlap. Mathematica can also be set to execute arbitrary code using <code>EventHandler</code> on events such as mouse down, up, hover, drag and key events.
Contour plot support for tooltip	2007	As well as automatically adding tooltips in <code>ContourPlot</code> , Mathematica does the same in <code>GraphPlot</code> , <code>PieChart</code> and other visualizations that Maple, so far, does not. Mathematica also makes automatic use of <code>Tooltip</code> to disambiguate similar traditional math notations. Maple does not.
Periodogram	2012	As well as <code>Periodogram</code> , Mathematica supports <code>Spectrogram</code> and <code>Cepstrogram</code> visualizations of signals and <code>ImagePeriodogram</code> visualizations from images. Mathematica can also compute 35 different properties of audio over time or frequency space using <code>AudioMeasurements</code> and <code>AudioLocalMeasurements</code> .
Violin plots	2010	Mathematica's <code>DistributionChart</code> supports eight different types of distribution visualization, of which violin plots are just one. Mathematica automatically annotates its violin plot with additional tooltip information. Maple does not.
Weibull plot	2010	Weibull plots are a special case of a <code>QuantilePlot</code> with a log-log scaling function.
Bar charts support color schemes	2008	Mathematica's <code>BarChart</code> also supports a collection of predefined and user-defined bar shapes.

Feature	Mathematica	Notes
Bar charts support individual bar colors	2008	Mathematica's <code>BarChart</code> also supports individual bar shapes.
Color palette display	2008	Mathematica's <code>ColorDataFunction</code> automatically displays as color swatches.
Chroma, Hue, Luma, etc.	2008	Mathematica natively supports six color spaces, allowing it to convert to or directly represent color in <code>LCHColor</code> .
Discontinuity option in <code>DensityPlot</code>	2007	Mathematica automatically detects discontinuities without needing special instruction.
Statistics		
Remove columns from <code>DataFrame</code>	2014	Maple's <code>DataFrame</code> design is limited to 2D tables of rows and columns. This addition continues to embed that assumption. Mathematica's <code>Dataset</code> , which appeared before Maple's <code>DataFrame</code> , allows arbitrarily deep data structures, including the simple case of rows and columns.
Sort supports <code>DataFrame</code>	2014	When Mathematica added its generalized database structure <code>Dataset</code> , every function could be applied to it.
Geo computation		
Choropleths	2014	Maple's <code>ChoroplethMap</code> command is a very limited implementation of Mathematica's <code>GeoRegionValuePlot</code> . Maple can only color country regions, while Mathematica knows the geometry of other administrative divisions such as states, counties and continents, historical country boundaries and user-defined regions. Mathematica supports a choice of map textures including street maps, terrain, a choice of satellite imagery and user-defined textures, while Maple maps are just blank colors. Mathematica supports over 500 map projections, while Maple supports only 16. Choropleth is just one type of geo visualization. Maple lacks other types such as <code>GeoHistogram</code> , <code>GeoSmoothHistogram</code> and <code>GeoBubbleChart</code> . Mathematica also supports geo visualization for other planets and moons, while Maple supports only Earth.
Geographic data	2007	Maple's new geographic data is a limited implementation of Mathematica's "City" entity type. The Mathematica entity system provides up to 97 properties on "City" entities, but also provides more than 60 other entity types for which geographic information is known, such as mountains, weather stations, oil fields and volcanoes. Mathematica can also convert street addresses into geo positions.
Great circle paths	2014	While Maple can place lines between geo points, it cannot place lines using direction and distance directives or correctly draw geo disks and geo circles as Mathematica can.
Graphs		
Style control for graphs	2007	As well as being able to control the colors of edges and vertices, as Maple added in this release, Mathematica allows complete control of the shape of edges and vertices and provides a collection of predefined style collections.
New special graphs	2007	Mathematica's <code>GraphData</code> command provides access to over 450 properties of nearly 7,000 special graphs. All six of the new graphs added to Maple were already in this database.
<code>DrawAutomorphism</code>		While Mathematica does not provide this visualization, the underlying data is generated with the Mathematica command <code>GraphAutomorphismGroup</code>

Feature	Mathematica	Notes
GraphDiameter	2010	Implemented in Mathematica as <code>GraphDiameter</code> .
Eccentricity	2010	Implemented in Mathematica as <code>VertexEccentricity</code> .
Graph6 import	2007	
Math		
SearchSmallGroups	2014	Mathematica uses a common function, <code>EntityList</code> , to search any entity type (cities, chemicals, animals, etc.) that matches a criterion. This includes searches of "FiniteGroup" entities.
CharacterTable	2014	<code>CharacterTable</code> is a property of the "FiniteGroup" Entity type.
Sums of binomial functions	1991	Most of the examples given as improved Maple output already produced compact answers in Mathematica in terms of <code>Binomial</code> functions.
Integration improvements		All the "What's New in Maple 2017" integration examples were already solvable in Mathematica.
ChineseRemainder	2007	
lthFermat		This Maple function just calculates $2^{2^n} + 1$; however, Maple returns "object too big" for <code>lthFermat(30)</code> , while Mathematica correctly calculates all 323,217,816 digits.
SimplestRational	1988	Implemented in Mathematica as <code>Rationalize</code>
coulditbe	2003	Implemented in Mathematica as <code>Reduce</code> and <code>Exists</code>
Parity	1988	Implemented in Mathematica as <code>Xor</code> .
content	1988	Similar functionality is available in Mathematica using the command <code>FactorTermsList</code> .
LambertW simplifications	1996	
Appell functions	1999	<code>AppellF1</code> is supported in Mathematica.
New PDE solving algorithms		Some of the newly solved PDE examples given in the Maple promotional literature are already solved in Mathematica.
Improvements to Limit		<code>Limit</code> finding is longstanding functionality in both Maple and Mathematica. Mathematica has also added significant improvements to <code>Limit</code> in 2017.
User interface		
Automatically insert multiplication symbols	2007	Mathematica allows you to customize the choice of multiplication symbol that gets inserted.
Visibility control of code edit regions	1996	Notebooks have supported an option to hide content since they were first incorporated into the Wolfram Language.

Feature	Mathematica	Notes
Password protection	1991	Mathematica applies content encryption to code rather than notebook contents. Like this new Maple capability, the Mathematica command <code>Encode</code> allows you to read-protect source code, but it also allows you to limit the execution of code to a specific license or to a specific computer.
Track Combo Box or List Box by index	2007	Mathematica's <code>PopupMenu</code> and <code>ListPicker</code> can both be indexed by arbitrary labels, not just by index or value.
Time series operations from context menu	2012	Mathematica's Suggestions Bar has always supported <code>TimeSeries</code> operations
30 new math apps	2007	In 2007, Wolfram launched the Wolfram Demonstrations Project as a home for all kinds of interactive demonstrations and math apps. In the same amount of time that Maple added 30 math apps, http://demonstrations.wolfram.com grew by over 700 demonstrations to total more than 11,200, thanks, in part, to the easy authoring made possible by Mathematica's <code>Manipulate</code> command.
Connectivity		
URL Package	2014	In addition to being able to construct arbitrary URL requests, Mathematica also supports asynchronous URL interaction and OAuth authentication.
SMT-LIB, YAML, MP4 import and export		While Mathematica does not yet support these formats, it still supports more than twice as many <code>Import</code> and <code>Export</code> formats as Maple does.

New Features in Maple 2016

Feature	Mathematica	Notes
Data science & statistics		
<code>DataSeries</code>	2014	Mathematica's <code>Association</code> data structure provides not only the convenience of a key-value data structure construct but is also an efficient hash table structure for large data sets.
<code>DataFrame</code>	2014	Maple's <code>DataFrame</code> structure is similar to Mathematica's <code>Dataset</code> structure except it is limited to simple 2D tables. In contrast, Mathematica also supports arbitrarily deep, irregularly structured heterogeneous data.
<code>Multiset</code>	2014	Maple's <code>Multiset</code> is only one special case of a more general reduce step in map-reduce type problems. Mathematica supports this with <code>Merge[data, Total]</code> but is capable of doing arbitrary merges of map data, for example, by tracking the largest key value using <code>Merge[data, Max]</code>
Principal component analysis	2010	As well as <code>PrincipalComponents</code> , Mathematica supports <code>DimensionReduction</code> and a range of machine-learning techniques using the functions <code>Predict</code> and <code>Classify</code> .
Scree plot	2010	This is implemented in Mathematica more generally as <code>ParetoPlot</code> and becomes a scree plot when applied to <code>Eigenvalues</code>

Feature	Mathematica	Notes
Linear regression summarize	2008	Over 60 properties of a Mathematica <code>LinearModelFit</code> or <code>NonlinearModelFit</code> are available including <code>ParameterTable</code>
Hypothesis testing summarize	2010	Mathematica hypothesis tests include the property <code>TestDataTable</code> for summarizing test results
Explore		
<p>In 2007, Mathematica introduced the concept of automatically-generated, interactive computational interfaces. Since then, Maple has been edging towards the functionality that was available in Mathematica's <code>Manipulate</code> function at launch. There are still many capabilities Maple's <code>Explore</code> command lacks, such as automatic cloud deployment, asynchronous evaluation, gamepad inputs, user-created control elements, automatic performance adjustment, and much more.</p>		
Text area controllers for evaluating at custom values of a parameter	2007	<code>Expression</code> input fields in Mathematica support both inert and live evaluation content. Mathematica also supports a large collection of <code>Interpreter</code> types which can interpret and enforce input other than generic text or math, such as city names, country names, email addresses, chemical names, or more than a hundred other types.
Simplified calling sequence	2007	This change mirrored Mathematica's syntax for describing parameters directly.
Name resolution	1988	While <code>Manipulate</code> was added to Mathematica in 2007, the ability to create functions that consider their arguments before evaluating them has been a core part of the Wolfram Language since its inception using the attributes <code>HoldAll</code> , <code>HoldFirst</code> , and <code>HoldRest</code>
Controller customization	2007	Mathematica allows customization of all of its controller types including size, step size, initial values, tooltips, etc.
Controller placement	2007	
Color customization	2007	Mathematica provides a general <code>Panel</code> construct that can be used for any content, not just <code>Manipulate</code> . It has always supported arbitrary color choices.
Borders	2007	Mathematica provides a general <code>Framed</code> construct that can be applied to any content, not just <code>Manipulate</code> . Where Maple allows border settings of only true or false, Mathematica supports control of <code>Thickness</code> , color, <code>Dashing</code> , and corner <code>RoundingRadius</code> .
Alignment and width	2007	Mathematica allows widths and heights to be absolute or proportional to the container (such as page width or column width) and a range of alignment options.
Record	2007	Storing evaluation results to a variable in Mathematica's <code>Manipulate</code> command is the same as any other evaluation without needing a special option. In addition to storing in a variable, changes can be written to files, and there is a bookmark feature built into the <code>Manipulate</code> user interface that lets users save interesting combinations of parameters. These can also be predefined by the developer.
Graph theory		
<code>DrawGraph</code> : round vertices	2007	While Maple added support for round or square vertices in graph drawing, Mathematica allows any graphic or image to be used or can be programmatically generated from the vertex name or its coordinates.

Feature	Mathematica	Notes
MaximumMatching		This functionality is provided by the Mathematica commands <code>FindMaximumFlow</code> and <code>FindMinimumCostFlow</code> . Maple requires the data to be an undirected, unweighted, bipartite graph. This is the simplest possible case supported by the Mathematica commands, which can optimize flows over multiple weighted steps across directed, undirected, and mixed graphs.
CliqueCover, CliqueCoverNumber		Similar functionality can be achieved using Mathematica's <code>FindCliques</code> command
GlobalClustering- Coefficient	2012	
IntervalGraph	2005	
IsArborescence		This can be achieved using <code>ConnectedGraphQ</code> and <code>FindSpanningTree</code> in Mathematica.
LocalClustering- Coefficient	2012	Implemented in Mathematica as <code>LocalClusteringCoefficient</code>
ReverseGraph	2010	Implemented in Mathematica as <code>ReverseGraph</code>
TransitiveClosure	2005	
Logic		
Logic: Satisfiable	2008	This is implemented in Mathematica as <code>SatisfiableQ</code> .
Logic: Satisfy	2008	This is implemented in Mathematica as <code>SatisfiabilityInstances</code> with additional functionality as <code>SatisfiabilityCount</code> .
Logic: TruthTable	2008	This is implemented in Mathematica as <code>BooleanTable</code> .
Mathematical functions		
Conjugate of RootOf objects	1996	Support for <code>Conjugate</code> was included with the introduction of <code>Root</code> objects in Mathematica.
Products of RootOf objects	1996	Support for <code>Product</code> was included with the introduction of <code>Root</code> objects in Mathematica.
Series of Airy functions	1988	Support for <code>Series</code> was included with the introduction of Airy functions in Mathematica.
Series of Gamma function	1988	Support for <code>Series</code> was included with the introduction of <code>Gamma</code> in Mathematica.
Series of Hypergeometric functions	1996	Support for <code>Series</code> was included with the introduction of hypergeometric functions in Mathematica.
Limits of oscillatory functions	1988	The examples given in Maplesoft's marketing of improvements were all already solvable in Mathematica.
Integrals of rational functions	1988	The examples given in Maplesoft's marketing of improvements were all already solvable in Mathematica.

Feature	Mathematica	Notes
Sums involving Jacobi theta	1988	This is implemented in Mathematica as <code>EllipticTheta</code> .
Series of abs and signum	2004	
Piecewise sums	2004	
Sums diverging to $\pm \infty$		The examples given in Maplesoft's marketing of improvements were all already solvable in Mathematica.
Doubly infinite sums		The examples given in Maplesoft's marketing of improvement were already solvable in Mathematica.
Symbolic PDEs		Some of the new solutions provided by Maple for symbolic PDEs were already possible in Mathematica. For numeric PDE solving, Maple does not have an equivalent of the powerful FEA-based solver built into Mathematica.
Mathematical identities: Bessel, KelvinBei...	2015	Since 1998, Wolfram has maintained the website <code>functions.wolfram.com</code> , which contains over 107,000 formulas and identities ready to compute with Mathematica. Since 2015, Mathematica has included these as a built-in, searchable data source via the command <code>MathematicalFunctionData</code> .

Document interface

From its inception in 1989, the Wolfram notebook interface has set the agenda for Maple's interface. In 1996, it was re-engineered so that documents could be entirely described in a Wolfram Language representation. The unification between document and language made a range of programmatic generation, analysis, and control of documents possible that Maple is still unable to match today.

Tables: programmatic creation and control	1996	As well as programmatic control of table cell colors, sizes, and alignment, Mathematica provides support for styled borders and cells which span rows or columns.
Programmatically adjust math containers	1996	
Non-executable math content	1996	Mathematica supports this feature on a cell, named <code>style</code> , <code>stylesheet</code> , or document level using the option <code>Evaluatable</code> .
Component font color	2007	Most interactive components in Mathematica support not just font color but also font family, weight, italics, background color, etc
Component transparency and fill color	2007	
Replaceable content	1996	
Arbitrary document zoom level	1996	
Global zoom setting	1996	Mathematica allows zoom setting at any level, not just global and document. For example, a low resolution bitmap logo in a notebook's docked cell might use <code>Magnification</code> \rightarrow 1 to prevent it from following a user's choice of document-level zoom and appearing pixelated.
Full screen mode on Mac	2012	Mathematica has always supported Mac OS X with fully native implementations.
Optional section openers	1996	

Feature	Mathematica	Notes
Visualization		
Coloring with functions of coordinate values	1991	The Mathematica option <code>ColorFunction</code> provides parametric color control to many different kinds of plots. In addition, Mathematica's use of symbolic wrappers for data points makes support for <code>Tooltip</code> , <code>Button</code> actions, <code>Label</code> , and more controllable at an individual-point level.
HeatMap	2004	This is implemented in Mathematica as <code>MatrixPlot</code> , <code>ArrayPlot</code> , and <code>ListDensityPlot</code> depending on interpolation choices.
GridPlot		While no direct equivalent is available in Mathematica, this graphic can be easily created with the more general <code>GraphicsArray</code> command.
Color schemes	2007	Mathematica provides over 170 pre-defined color schemes. In addition, the <code>PlotTheme</code> option controls a whole collection of aesthetic choices at once from a collection of designs created by Wolfram graphic designers
Miscellaneous		
Math Apps and applications		In 2007, Wolfram launched the Wolfram Demonstrations Project as a home for all kinds of interactive demonstrations and math apps. In this release, Maple added approximately 22 new interactive Math Apps and applications. In the same amount of time, <code>demonstrations.wolfram.com</code> grew by over 500 demonstrations to total more than 10,500, thanks, in part, to the easy authoring made possible by Mathematica's <code>Manipulate</code> command.
NumberTheory package		Maple 2016 deprecated around 50 number theory commands and redesigned them to use Mathematica-style naming (full words with camel-case capitalization). For example, Maple's <code>cfrac</code> command has been renamed to <code>ContinuedFraction</code> , the same as in Mathematica. In general, recent additions to Maple use naming conventions similar to Mathematica, but most older Maple commands are still accessed by inconsistently abbreviated and capitalized legacy names.
Thermophysics data	2014	Mathematica provides access to thousands of data sets and thermophysics data is accessed via the command <code>ThermodynamicData</code> . It can also be accessed using free-form input in Mathematica which is interpreted by <code>Wolfram Alpha</code> . For example "enthalpy water 298K 1 atm" returns the result 104293 J/kg.
Student multivariate calculus		Mathematica does not attempt to provide student versions of its functions and so does not face the question of how many of its functions need two versions. Some of the functionality provided by student packages is available via the <code>Wolfram Alpha</code> integration to give rich, step-by-step solutions, and using the command <code>\$Pre=Assuming[_<math>\epsilon!</math>(*TemplateBox[{},"Reals"]),Simplify[#,]&</code> tells Mathematica to treat all user variables as reals.
Workbook file format		While Mathematica does not have the user interface for browsing within archives, it has supported the ability to read or write files within standard <code>.zip</code> or <code>.gz</code> archive formats since 2007. This allows you to package multiple files together and access each component separately, similar to this new Maple feature.
Saved variable values	1988	Mathematica has had the ability to save variables or other state information since its inception and extended it in 1996 with a very fast binary format. See <code>Save</code> and <code>DumpSave</code> . In 2015, Mathematica introduced the ability to automatically save changes to variables both locally and to the cloud. <code>CloudSymbol</code> can even be used to share between multiple users during simultaneous or asynchronous sessions.

Feature	Mathematica	Notes
Parallel computation: ThreadSafeLock		While Maplesoft promotes thread-based programming as a feature, it remains hampered by the small number of commands which are actually thread safe. ThreadSafeLock is another tool to allow users to try and manage this situation. Mathematica's approach to parallel computation, of launching multiple, full-compute kernels, does not suffer from thread safety issues, making it much simpler to use. See the Comparison of Parallel Programming document at www.wolfram.com/mathematica/compare-mathematica/files/Mathematica10Maple2015ParallelProgramming.pdf
Iterator package		Iterating over discrete structures is supported in the Wolfram Language
Forgetting remember tables	1988	Because Mathematica's idiom for remember tables generates objects that can be manipulated by the Wolfram Language, Mathematica is able to clear individual or classes of remembered values, not just the whole table.
Word lists	2007	Maple added a dictionary of English words. Mathematica provides dictionaries and word searches in many languages; single-word translation between languages; and, for English, more than 30 properties of each word such as synonyms, antonyms, and parts of speech. See WordData, DictionaryLookup, and WordTranslation

New Features in Maple 2015

Feature	Mathematica	Notes
MapleCloud web access	2014	The capabilities of the MapleCloud remain far behind those of the Wolfram Cloud. MapleCloud does not support content creation, content editing, scheduled tasks, report generation, computational APIs, data accumulation, or programmatic control or offer a private version of its cloud. All of these capabilities and more are available in the Wolfram Cloud.
Data sets	2009	<p>In 2009, Wolfram launched Wolfram Alpha, a project to make the world's data computable. In the wake of Wolfram Alpha, Quandl was set up in 2012 but with more limited technical aspirations. It does not attempt to unify different data sets with common entity names (e.g. country names, cities, animal taxonomies, etc.) and common unit systems. It does not attempt to integrate relevant computation into the data and does not attempt to provide natural language access.</p> <p>Maple's link to Quandl is limited to data search and retrieval; it has not attempted the deep integration with data provided by Mathematica. For example, data requests in Mathematica are provided with units interpretable by Mathematica. Mathematica unit conversions automatically use current values for currencies. Geo computations in Mathematica can take any geographic entity (e.g. a city, building, or mountain name) as specifications. Forms in Mathematica applications can have semantic restrictions (e.g. the user must enter country name), which are validated against data. Mathematica users can also make data available through Wolfram Alpha through the Wolfram Data Drop.</p> <p>Data is deeply integrated into Mathematica, not just importable. Of course, Mathematica users can also easily access Quandl data using the Import command.</p>

Feature	Mathematica	Notes
Polyhedral sets	2014	Mathematica contains a powerful geometric regions package, which supports arbitrary combinations of n -dimension discrete, parametric, or primitive defined regions. Polyhedral regions are one of the simplest subsets of this framework and can be created by using the Mathematica function <code>ImplicitRegion</code> with only linear constraints. While the properties calculated by Maple's Polyhedral Sets functions are not a strict subset of Mathematica's region framework, the scope of regions is. Maple cannot represent non-convex regions, disjoint regions, or regions with curved edges.
Plot thumbnails in output	2007	Mathematica's Computable Document Format (CDF) has a general symbolic content description that allows any displayable content to be embedded in any other content. Plots appearing in output is just one such example of this much more general principle. In contrast, Maple still cannot put a plot on the face of a button, buttons in graphics, images in combo-boxes, or many other combinations which are trivial in Mathematica.
Default point probe	2008	Mathematica's graphics support the option <code>CoordinatesToolOptions</code> , which allows any content driven by any program to be dynamically displayed as a point probe, not just the four fixed choices that Maple now provides.
Trigonometric and hyperbolic functions palette		<p>Since 1996, Mathematica has allowed users to create arbitrary palettes. This palette can be implemented in Mathematica with:</p> <pre>CreatePalette [Grid [Partition [PasteButton /@ {Sin, Cos, Tan, Sec, Csc, Cot, Sinh, Cosh, Tanh, Sech, Csch, Coth , ArcSin, ArcCos, ArcTan, ArcSec, ArcCsc, ArcCot, ArcSinh, ArcCosh, ArcTanh, ArcSech, ArcCsch, ArcCoth, θ, π, ϕ, ω}, 4]]]</pre>
Random variables palette		Since 1996, Mathematica has allowed users to create arbitrary palettes. This palette can also be implemented in Mathematica in a few minutes.
Content generation: layout elements	2007	Mathematica provides a full symbolic description for documents, allowing arbitrary content generation, transformation, and analysis, not just generation. Every aspect of the content, layout, style, and interactivity is controllable, not just a subset of layout elements. Mathematica also provides a template system to make repeated automatic content generation even easier.
Content generation: embedded components and application authoring	2007	Mathematica's full symbolic description for documents includes all interactive elements, allowing arbitrary content generation, transformation, and analysis, not just generation.
Content generation: the Tabulate command	2007	Mathematica's <code>Grid</code> command allows much more control over tabular layout than Maple's <code>Tabulate</code> command, including individual cell level background color, size, alignment, and frame controls (not just whole grid settings). It supports horizontally and vertically spanning cells and vertical alignment. Maple supports none of these.
Data plots: many plots in one plot command		This function is a syntactic shortcut to existing plot types, all of which are supported in Mathematica.
Data plots: new intuitive calling sequences and support for different data types	1988	Mathematica has a unified data model so you do not need to worry about whether your data is a list, matrix, array, or any other type. The issue of competing similar data types still affects many other Maple functions, not just data plots.
Numerical solutions of ODE with delay	2008	Maple's numerical differential equation solvers still lack the finite element methods available in Mathematica that are needed to solve partial differential equations. Maple can only handle delay differential equations numerically. Mathematica can solve them symbolically as well.

Feature	Mathematica	Notes
Explore		Mathematica introduced the powerful <code>Manipulate</code> command for instant interface creation in 2007. Maple continues to incrementally develop functionality towards that offered by the initial release of <code>Manipulate</code> but still has a long way to go.
Explore: customizable interactive marker controls on 2D plots	2007	In Maple, the number of interactive markers is fixed by the author. In Mathematica, you can also allow users to add or remove markers interactively.
Explore: images on play/pause/loop animation controls	2007	In Mathematica, buttons and other UI elements can use any image, but in Maple, only pre-defined ones can be used.
Explore: 2D math for parameters with sliding controls	2007	In this context, it appears that Maplesoft means math characters (like α), rather than 2D math. In Mathematica, as well as arbitrary special characters, parameters can be labeled with any content, including full 2D typeset expressions (including fractions, roots, etc.) or images. In fact, you can put such content anywhere.
Explore: support for vertical orientation of slider controls	2012	Mathematica's <code>Rotate</code> command, can display any control or other content with any angle of orientation, not just vertical and horizontal.
Explore: CheckBox controllers	2007	
Explore: startup code	2007	Mathematica also supports code that initializes when content that needs it is first displayed on screen. This allows you to avoid unnecessary code execution for content that is not viewed.
Explore: document properties when launching as a new document	1996	While Mathematica's <code>Manipulate</code> command was only added in 2007, the ability to generate interactive content in fresh windows and control the window properties has been available since 1996.
Finance: computing Greeks on derivatives	2010	Maple supports general Greeks calculations on the Black-Scholes model, while Mathematica's <code>FinancialDerivative</code> command supports specific Greeks calculations on over 100 different financial derivatives contracts.
Grid computing: Run, Set, Get, GetLastResult, Wait, WaitForFirst	2008 (Available earlier as an add-on)	These functions are roughly equivalent to the Mathematica commands <code>ParallelSubmit</code> , <code>DistributeDefinitions</code> , <code>WaitNext</code> , and <code>WaitAll</code> . Maple still lacks some of the higher level functions that make Mathematica's parallel programming so simple, such as <code>ParallelMap</code> , <code>ParallelTable</code> , and <code>SetSharedVariable</code> .
Sub-second current time	1996	
Group theory: group data	2010	Amongst the huge collection of datasets built into Mathematica, there is a searchable <code>FiniteGroupData</code> database with over 50 properties of several hundred finite groups.
Group theory: CayleyGraph	2010	
Group theory: IsCyclic	2010	Mathematica's <code>Cycles</code> command fully enumerates cycles.
Group theory: ComplexProduct	2010	For permutation groups, this is provided in Mathematica by <code>PermutationProduct</code> .

Feature	Mathematica	Notes
Group theory: ElementOrder	2010	For permutation groups, this is provided in Mathematica by <code>PermutationOrder</code> .
Import/export	1996	Maple followed Mathematica's design of having automated generic <code>Import</code> and <code>Export</code> commands, which can import different kinds of data automatically. However, Mathematica's <code>Import</code> and <code>Export</code> commands support over 185 different formats, while Maple's supported only 51 formats. Furthermore, many of the Mathematica import and export filters provide additional options. For example, when importing a JPEG into Mathematica, you can choose whether you are importing an image, the image data, or the EXIF and other meta-data (such as camera shutter speed, image capture date, image device name, etc.).
Import/export: MathML	1999	
Import/export: FASTA	2007	
Import/export: GenBank, SHP	2008	
Import/export: KML	2010	Mathematica provides import and export of KML. Maple provides only import.
Import/export: JSON, GPX	2010	
Import/export: Graphlet, GraphML, GXL, Pajek, and TGF	2010	
Import/export: FASTQ	2012	
Integrate		Mathematica has extremely powerful symbolic integration. All examples given in Maplesoft marketing materials as newly solved in Maple 2015 were already solved by Mathematica.
Embedded components: speaker component	1992	Mathematica documents can contain MIDI sound as well as waveform sounds. Maple supports only waveform sounds.
Embedded components: microphone component	2007	As well as being able to capture sound from a GUI component, Mathematica can also capture images from a webcam or other imaging device.
Embedded components: gauges, set initial angle	2012	
Embedded components: gauges, set range	2012	
Math functions: coulditbe		This functionality is part of the <code>Reduce</code> function in Mathematica, which also solves broader classes of quantifier elimination problems.
Embedded components: ListBox	2012	This is supported as <code>ListPicker</code> in Mathematica. In Mathematica elements of the <code>ListPicker</code> can be images, 2D typeset math, or other content, not just text.

Feature	Mathematica	Notes
Embedded components: Meter, Rotary Gauge, Volume Gauge, Plot, Text, Radiobutton, and Components programmatic setting	2007	All Mathematica interactive and static components can be programmatically set or changed.
Embedded components: resizable slider	2007	In Mathematica, most interactive components can be made arbitrary sizes. <code>Slider</code> is no exception.
Bifurcation maps	1996	While not a named function in Mathematica, bifurcation plots are sufficiently simple that they have existed as examples in the documentation of Mathematica since 1996.
Math apps	2007–Present	In 2007, Wolfram launched the Wolfram Demonstrations Project as a home for all kinds of interactive demonstrations and math apps. In this release, Maple added approximately 60 new math apps to total around 400. In the same amount of time, thanks partly to the easy authoring made possible by Mathematica's <code>Manipulate</code> command, demonstrations.wolfram.com grew by over 300 apps to total more than 10,000.
Special functions identities	2002	Wolfram Research makes its database of functions available for free at functions.wolfram.com . It currently contains over 300,000 formulas relating to more than 320 special and elementary functions. Mathematica added programmatic access to this database in 2015.
Statistical reference tables	N/A	Computational software should remove the need for reference tables. If you really want printed statistical reference tables, then they would be easy to produce in Mathematica by using the <code>Grid</code> and <code>Table</code> commands.
Units: temperature object	1992	Units, including temperature units, were first included in Mathematica in 1992. Since 2012, Mathematica's units have been handled automatically in data plots, solvers, optimization routines, and more. They handle live data units (such as currency rates) and time-based units (such as currency rates). Mathematica's use of Wolfram Alpha linguistics allows entry of units in any format (e.g. "kph," "kilometers per hour," etc.). Maple's units system did not do any of these.
Visualization: shading between two curves	2007	Mathematica's <code>Filling</code> allows shading between any combination of curves, axes, and plot boundaries, not just between two curves.
Visualization: empty plots	1988	
Visualization: pointline style	2007	
Visualization: color schemes for curves	2007	As well as allowing you to define custom color schemes, Mathematica provides more than 170 pre-designed color schemes. These are designed for different aesthetic choices, standard interpretations (e.g. heat map), continuous gradients, and indexed discrete collections.
Robust regression	2007	Use of the <code>NormFunction</code> option within <code>FindFit</code> allows for several robust fitting approaches. Loess fitting has been available as a free package since 1998.

New Features in Maple 18 (2014)

Feature	Mathematica	Notes
Time series	2012	Maple does not include Mathematica's support of FARIMA processes, time series-based hypothesis testing, or time series property measurements such as covariance functions. Mathematica does not yet support exponential smoothing models.
Exponential smoothing	2007	Implemented in Mathematica as <code>ExponentialMovingAverage</code> .
Keyword and command name searching in help	1996	Mathematica's help system is built around interactive CDF content, allowing examples to be edited and evaluated in place and dynamic content to be interacted with. Maple's help files are static, uneditable, and unevaluatable.
Visualization—background colors in 2D plots	1988	Background colors are controllable in Mathematica's 3D plots as well as 2D plots.
Visualization—custom plot shading	2007	As well as being able to apply arbitrary color blends or pre-designed color gradients to plots, Mathematica also allows the application of these blends using a custom mapping function, effectively giving you an extra dimension to 3D plots.
Visualization—background images in plots	2007	Mathematica provides powerful image processing capabilities that Maple lacks, so that as well as background images being included verbatim, they can also be transformed programmatically.
Visualization—texture mapping	2010	Mathematica provides powerful image processing capabilities that Maple lacks, so that as well as texture images being used verbatim, they can also be transformed programmatically.
Visualization—color tools	2012	Mathematica supports CMYK, HSB, XYZ, LAB, and LUV color spaces, as well as RGB.
Visualization—programmatic control of image size	1988	
Signal processing—Blackman–Nuttall and Bohman windows	2012	
Calculus palette	1996	Mathematica 3.0 introduced completely customizable input and action palettes that can be shared between users.
Möbius Project	2007	<p>In 2007 the Wolfram Demonstrations Project set out a clear vision for a platform for sharing interactive apps for demonstrating technical ideas. In the year since MapleSoft launched their imitation, it accumulated 235 apps, 75 of which were included in Maple.</p> <p>Thanks to the ease of interface creation provided by Mathematica's superior <code>Manipulate</code> command, in the same period the Wolfram Demonstrations Project grew from 8500 apps to over 9400 apps.</p>
One-step app creation—custom placement of controls	2007	Maple's "Explore" command is a skin-deep attempt to support Mathematica's popular <code>Manipulate</code> command. As well as being able to position controls spacially, Mathematica also supports advanced layout controls such as collapsible areas, tab views, and more. These can be applied to both controls and outputs.

Feature	Mathematica	Notes
One-step app creation—choice of control types	2007	While Maple now allows you to change the control component for ranges, Mathematica also provides alternative control choices for discrete, Boolean, and color inputs and supports custom component creation.
One-step app creation—combo boxes	2007	Mathematica also allows lists of parameters to be chosen by setter bars, multi-select combo boxes, sliders, and custom components.
One-step app creation—customization of the size of the display component	2007	As well as controlling the size of output, Mathematica supports dynamic resizing under program or user control. Mathematica also supports constrained region resizing with automatic scrollable area and dynamic adjustment of the interface to accommodate large content.
One-step app creation—interactive marker controls on 2D plots	2007	Mathematica also supports user creation and deletion of locators and custom locator appearance, using any image.
One-step app creation—image output	2007	Mathematica's Manipulate command automatically supports any kind of output supported by Mathematica, including formatted text, math, sound, graphs, 2D and 3D graphics, dynamic content, and GUIs, as well as images and 3D images. Maple still has a long way to go to catch up with Manipulate.
Interactive components—controllable shortcuts	2007	
Interactive components—masked input fields	2010	
Interactive components—auto-fit math component	2007	All kinds of output can be auto-fitted or constrained with automatic scroll bars in Mathematica GUIs.
Interactive components—custom image toggle button	2007	
Interactive components—embed sounds	2007	While Mathematica did not support OGG until later that year it already supported AIFF, AU, FLAC, SND, Wav, Wave64, and MIDI sounds.
Interactive components—hide borders	2007	As well as being able to control the presence of borders, Mathematica allows you to control the style of borders independently on each side (thickness, color, dashing, transparency, etc.) It also supports arbitrary rounded corners.
Statistics for students	2013	There is a rich ecosystem of educational tools built on Mathematica, but they are not included in the product itself. The Wolfram Demonstrations Project is a key source, but the central tool of the Maple Statistics for Students functionality is similar to this example published on the Wolfram Blog in 2013.
Graph theory—DrawGraph performance improvements	2007	Mathematica's GraphPlot supports six different styles of graph plotting. The Maple 18 marketing materials make an ill-considered comparison in graph-drawing performance with Mathematica, since Mathematica defaults to a "spring" layout method, while Maple does not. Maplesoft documents acknowledge that "spring" will usually give the best visualization, but if performance is the priority then each of Mathematica's other methods is faster than Maple for the example used in the Maple marketing materials. Three of Mathematica's methods produce the visualization in under 0.25 seconds, compared to 18 seconds in Maple.

Feature	Mathematica	Notes
Step-by-step solutions	2010	Maple's Student Basics package provides step-by-step solutions only for linear equation solving and polynomial expanding. Mathematica, through its connection to Wolfram Alpha, can also provide Step-by-step solutions for polynomial, trigonometric, and logarithmic equation solving; as well as limits, integrals, derivatives, differential equations, partial fractions, line intercepts, number theory factoring, completing the square, determinants, row reduction statistics problems, basic arithmetic and more.
URL import	2007	Mathematica can import data from URLs in over 160 formats.
3D graphics formats	2007	Mathematica supports 16 3D graphics formats, including the six that Maple added.
Compressed file support	2007	As well as the ZIP and GZIP formats supported by Maple, Mathematica also supports TAR, BZIP2, and two formats of its own that are optimized for compressing Mathematica expressions.
Inert expression representation	1988	Implemented in Mathematica as <code>HoldForm</code> and <code>Hold</code>
Random matrix generation	2007	Mathematica supports generation of random data over any number of dimensions from over 140 different distributions.

New Features in Maple 17 (2013)

Feature	Mathematica	Notes
One step app creation	2007	Maple's "Explore" command is a skin-deep attempt to appear to support Mathematica's popular <code>Manipulate</code> command. It only supported sliders while Mathematica's, much more powerful <code>Manipulate</code> function can automatically use checkboxes, pop up-menus, sliders with arbitrary discrete steps, 2D sliders, 2D discrete sliders, locators within displayed contents and more, as well as sliders. "Explore" has no control over the appearance, direction, size or placement of its sliders and no control or automation over refresh quality or triggers. "Explore" cannot be nested, doesn't support bookmarks, cannot be exported to animations, and does not support hardware controllers. It cannot be extended with custom controllers, or automatically embedded in generated reports. Mathematica supports all of this and more.
Möbius Project	2007	The <code>Wolfram Demonstrations Project</code> set out a clear vision for a platform for sharing interactive apps for demonstrating technical ideas. Thanks to the ease of interface creation provided by Mathematica's superior <code>Manipulate</code> command, over 8500 apps had been created and shared by the Mathematica community. The Möbius Project was initially an imitation of <code>Demonstrations</code> before being redesigned after failing to attract the same quantity of content.
Maple Player	2007	Wolfram Research has provided a free <code>Player</code> for Mathematica content for over 20 years. With the advent of easy-to-author interactive content in 2007, the <code>MathPlayer</code> was upgraded to <code>Wolfram CDF Player</code> with a full Mathematica Kernel to drive interactive computational content in the <code>Computable Document Format</code> . <code>CDF Player</code> supports all major platforms and can be embedded in HTML under all major browsers.

Feature	Mathematica	Notes
Math apps	2007+	Specialized Mathematica apps appear for free in The Wolfram Demonstrations Project not in Mathematica. In the preceding year Demonstrations grew by around 1000 apps compared to the 45 promoted in this Maple release. The Maple 17 New Features pages show three examples: "River crossing" appeared in the Demonstrations Project in 2012, there are 22 Demonstrations related to "Cost of production" and the "Tides" example can be implemented in a single line of Mathematica code. These are not major features.
Advanced Code Editor: Syntax Highlighting	2007	Maple syntax highlighting works only for plain-text code and only for keywords and operators. In contrast, Mathematica also supports syntax highlighting for expressions within or containing typeset 2D mathematical expressions and also colors local variables, and function parameters for easier code reading.
Advanced Code Editor: Bracket Matching	2007	Again the Maple support is skin-deep, matching brackets only if you limit yourself to plain text coding. Bracket matching is particularly important in math expressions where highly nested brackets can be common and putting a bracket in the wrong level of a 2D expression is a common mistake.
Advanced Code Editor: Quote Matching	2007	Maple supports this only for text, not in typeset math. Mathematica supports both
Advanced Code Editor: Automatic Indentation	2007	Maple supports this only for text, not in typeset math. Mathematica supports both
Advanced Code Editor: Command Completion	2012	Maple supports this only for text, not in typeset math. This missing feature is particularly significant given the inconsistent naming and capitalization of Maple's mathematical functions. Using Mathematica's typeset layout for clarity of complex expressions does not have to come at the price of more limited ease of use.
Advanced Code Editor: Error checking	2007	Maple supports this only for text, not in typeset math. Mathematica error checks whether options are valid for the function they appear in, as well as checking argument count and structure.
Performance: Hardware elementary functions	1999	These may have been implemented in response to being highlighted in the numerical performance benchmark created by Wolfram Research in 2011 which showed Maple to be, on average, 318–2845 times slower for these operations and 38 times slower for other numerical computations.
Performance: Parallel linear algebra	2005	The claimed improvements appear to be mainly for OSX and Linux, with only modest improvements to <code>Eigenvalues</code> and <code>Eigenvectors</code> under Windows. See the latest benchmarks here .
Performance: Sparse vector concatenation	1999	These may have been implemented in response to being highlighted in the numerical performance benchmark created by Wolfram Research in 2011 which showed Maple to be, on average, 13,512 times slower for sparse matrix computations and 38 times slower for other numerical computations.
Signal processing: Cosine, fast Fourier and wavelet transforms	2010	Typically skin-deep, Maple's implementation of DWT supports only the Haar wavelet, only in its <code>float[8]</code> data type and lacks continuous wavelet transforms. Mathematica's <code>DiscreteWaveletTransform</code> supports 10 different discrete wavelet families using floating point, complex or arbitrary precision numbers and <code>ContinuousWaveletTransform</code> with 5 different continuous wavelet families. Maple's DCT supports only Type II DCT, Mathematica supports Type I,II,III and IV DCTs.

Feature	Mathematica	Notes
Signal processing: Bartlett, Blackman, Kaiser, Hann, and Hanning(sic) windows	2010	Again, Maple supports only a subset of Mathematica's functionality. Mathematica supports 14 non-parametric window functions and 10 parametric windows, including the 5 supported by Maple.
Signal processing: Signal generation	2012	Maple's support for signal generation still falls considerably short of Mathematica's
Signal processing: Cross-correlation, autocorrelation, data statistics, and upsampling/downsampling	2012	There are now two different <code>AutoCorrelation</code> functions in Maple, one for <code>float[8]</code> data and one for other data. Mathematica handles the data type used automatically. Maple's <code>UpSample</code> can take only <code>float[8]</code> or <code>complex[8]</code> data. Mathematica can handle any kind of data.
Signal processing: FIR, IIR, and Butterworth filters	2012	Some of this functionality has been in Mathematica since 2003.
Search and replace in math expressions	2007	Maple's concept of search and replace in math expressions is limited to finding text in math expressions. Mathematica allows searching and replace for whole typeset expressions, and using the Mathematica language search and replace can find and transform math expressions by layout, style, and general pattern matching.
Graph theory: invariant polynomials	1990s	Scope and performance of Graph Theory is much greater in Mathematica.
Graph theory: IsIsomorphic	2010	Maple's <code>IsIsomorphic</code> function can only handle undirected, unweighted graphs. Mathematica's <code>GraphIsomorphicQ</code> handles all graph types.
Graph theory: LaplacianMatrix	2008	Mathematica is able to return <code>SparseArrays</code> for very high performance when handling large graphs while Maple can only return dense matrices limiting its application to smaller graphs.
Math: Linear inequality solving	2003	
Math: Semialgebraic system solving	2003	
Math: Solving equations with branch cuts	2003	
Visualization: Automatic 3D axes	1988	Wolfram Research highlighted this and many other sub-optimal Maple graphics defaults and controls in a 2009 report. <code>Clear</code> visualizations prevent mis-understandings and supports professional quality for your reports and publications. Wolfram Research has always considered this important. See the latest comparison of visualizations here.
Visualization: Plotting of inequalities	2002	Maple still supports this only in 2D. Mathematica supports both 2D and 3D inequality plotting.
Visualization: Visualize branch cuts	2007	Maple's functionality is not equivalent to Mathematica's <code>automatic branch cut detection</code> – it allows you to request a visualization of the branch cuts of individual functions but does not detect branch cuts in functions which you try to plot.

Feature	Mathematica	Notes
Visualization: Cayley Tables		Available on demonstrations.wolfram.com
Control: The FrequencyResponse routine handles differential equations with input derivatives.	2010	In 2012 Mathematica added support for linear descriptor systems so that even systems with input derivatives of higher order than the plant variables are fully integrated.
Control: All models now accept linear, non-differential systems.	2012	
Control: Frequencies option for all frequency-based plots	2010	Minor feature correcting an unnecessary limitation.
Control: The Grammians command has been extended to work with discrete systems.	2010	
Programming: Use of D, I, etc as local variables	1988	
Programming: Sort with output option	2000	
Programming: Selecting or removing items from a table	1988	
Essay tools		While this package is rather specialized, Mathematica's string handling and semantic word data, make this kind of semantic analysis, similarity measurement and word counting easy.

For more comparison information, see:

<http://www.wolfram.com/mathematica/compare-mathematica/compare-mathematica-and-maple.html>

Maple® is a trademark of Waterloo Maple Inc.